

## **Amtryke Adaptive Tricycle Request Form**

(Must be filled out completely by adult rider or parent/guardian)

Recipient's Name:	Age: Date of Request: _
Mailing Address:	Phone #:
City/State/Zip:	Email:
Diagnosis:	
If Rec	cipient is Under Age 18
Parent/Guardian Name:	-
If different from above	
Mailing Address:	Phone #:
City/State/Zip:	Fmail·
Secondary Contact Name:	Phone #:
Treating Therapist's Name:	
Phone #:	Email:
are at the discretion of the local chapter or parent organ	tricycle?
Tell us about the recipient*:	
This information will be made public to help obtain fundi	ng. Please don't include information you don't want shared.
mages preferred but we also accept professiona	tain a sponsor to help you pay for the Amtryke more quickly. Digital ally printed glossy photos. No photocopies or folded images. to use the image online and in print to help obtain a funding.
Signature:	Date: _

Individuals will not be considered for placement until all three forms are returned to AMBUCS: this form filled out by the recipient/guardian, as well as the Assessment Form and Tryke Selection Form filled out by the therapist.

## **Amtryke Adaptive Tricycle Waiver Form**

(Must be filled out completely by adult rider or parent/guardian)

AMBUCS members nationwide are dedicated to creating opportunities for mobility and independence by providing Amtryke adaptive tricycles, offering educational scholarships to therapy students and performing various forms of community service.

**Purpose:** The Amtryke adaptive tricycle creates a feeling of freedom, builds self-esteem, strengthens muscles and

improves motor coordination and rage of motion—all while making exercise fun.

Steering: Initially, the rider may have difficulty turning or changing directions. Encourage the rider to go straight ahead,

> back up and slowly turn around. On many models there are three steering options for the Amtryke. On the front column of the tricycle you will find two holes for the steering pin. The top hole is straight steering, the

bottom hole allows a 20-degree turning radius. Leaving the pin out gives the rider free steering.

### Safety Cautions

- Fast speeds and sharp turns can cause the Amtryke adaptive tricycle to tip or turn over.
- Always wear a helmet when riding an Amtryke. Use of other protective gear is highly recommended.
- Adult supervision required if used by younger or developmentally delayed riders.
- Use caution near vehicles, swimming pools and other bodies of water, hills, alleys and slopeddriveways.
- Always wear shoes.
- Never allow more than one rider.
- Use of the steering pin is recommended to prevent over-steering or possible tip-overs.

The information contained in this service is not intended nor implied by National AMBUCS™, Inc. to be professional medical advice by National AMBUCS, Inc. Always seek the advice of your physician, therapist or other qualified healthcare provider prior to staring any treatment or with any question you may have regarding a medical condition. Nothing contained in this document is intended by National AMBUCS, Inc. to be for medical diagnosis or treatment by National AMBUCS, Inc. or on behalf of National AMBUCS, Inc.

In no event shall National AMBUCS, Inc. be liable for any direct, indirect, incidental, consequential, special, exemplary, punitive, or any other monetary or other damages, personal injury or property damages, fees, fines, costs, attorney fees, or liabilities of any kind arising out of or relating in any way to this service or use of the Amtryke® adaptive tricycle, and/or content or information provided herein.

$\ \square$ I agree that the rider listed on the front of this document may be photographed. I also agree that the photos an	d recipient's
name may be used in promotional efforts for National AMBUCS, Amtryke or the local AMBUCS chapter. I further gr	ant AMBUCS
the ability to use the photos and name for advertising/publicity purposes without additional compensation, except	where
prohibited by law. If anybody in my party does not want to be photographed under these same terms, I will let the	
photographer know as soon as possible.	

By signing below, I acknowledge that I have read and understood this liability waiver.				
Recipient's Name:				
Adult Recipient Signature:	-			
If Recipient is Under Age 18				
Legal Guardian Name:				
Legal Guardian Signature:	Date:			

Individuals will not be considered for placement until all three forms are returned to AMBUCS: this form filled out by the recipient/guardian, as well as the Assessment Form and Tryke Selection Form filled out by the therapist.

# **Amtryke Assessment Form**

		(Must	be filled out cor	npletely by therap	ist)	
Recipient's						
Age: Weight (lbs.) Diagnosis(es):*		* Height (inches):* _		* _		
Diagnosis	es):*	*This private infor	mation is only use	ed to help appropriat	taly fit the rider	
		iiiis private iiiior	illation is only use	ей со петр арргоргіа	tely lit the rider.	
	RID	ER'S MEASUREM	<b>MENTS</b>			A Center of Shoulder
Arm Mea	asurements (ii	nches)	To	tal Length	c 📆	B Center of Elbow
Left	A to B:	B to C:	10	· ·	A	C Center of Digit Crease
Right	A to B:	B to C:			В	D Center of Hip
Trunk	A to D:	2 00 01				E Center of Knee
Leg Mea	surements (in	ches)	To	tal Length	E D	F Bottom of Foot
Left	D to E:	E to F:		tui zeiigiii		Arm Length & Leg
Right	D to E:	E to F:			F	Length Measurements
	1 2 33 2.				• •	are critical to correct
Notes on	Provided Meas	surements (if any):		Helmet Sizing		Amtryke Selection Sizing Chart is
			Size	Measurement (hea	ad circumference)	available online:
			Toddler (XS)	17.7" –	19.3"	www.ambucs.org/riders
			Child (S)	20.5" –		/wish-list/sizing-chart/
			Youth (L)	20.9" –		
			Adult (XL)	22.4" –	23.6"	]
Theranist I	Name:			Is this the treating	theranist?	□ Yes □ No
		_		is this the treating	s therapist:	- 1e3 - 140
_						
Facility Na	me:					
Street Add	lress:		(	City:	S <sup>.</sup>	tate: Zip:
Is this facil	ity an Amtryke	Evaluation Site?	□ Yes □	No   Not Sure		
Thoropist	sommonts sor	accraing reginient or	zoole.			
Therapist	comments cor	ncerning recipient or $\S$	goais:			
This reque	st/assessment	is directed to:				
	Local AMBUCS	Chapter Name:				
	National Wish I	List (AMBUCS Resourd	ce Center)			
Ry signing h	elow vou are sign	nifying that in your profe	ssional oninion thi	s rider would henefit	from an Amtryke	You assume no liability
Therapist		,g chac iii your prote		stract would believe	Trom an 7 and year	Date:
	- 0					
			Ship Am	tryke To		
Name/Fa					Phone:	
Street Ad	dress:					
City:					State:	Zip:

Recipient's Name:	

#### Thanks for choosing an Amtryke adaptive tricycle!

In order to accommodate the widest variety of people, Amtryke offers many tryke models and each can be customized in a variety of ways. Following the steps below will help you choose to the perfect tryke for your client from what might seem like a dizzying array of options.

Remember you can always refer to our website, <u>www.amtrykestore.org</u>, or the Amtryke catalogue for more information and product images.

- **Step 1:** Fill out the first page of the Amtryke Assessment Form.
- **Step 2:** Choose the way the tryke will be propelled: **Hand & Foot, Foot,** or **Hand**. Your choice should be based on the rider's ability and therapy goals.

**Hand & Foot** trykes improve coordination, strength and range of motion. Using all four extremities helps with weakness in any area, even general weakness, and can positively affect tone.

**Foot** trykes were developed in response to requests from therapists for a traditional tricycle for riders with special needs.

**Hand** trykes are designed for persons whose lower limbs lack function or those who need special therapy for the upper extremity.

- **Step 3:** Take rider's measurements from the front of this Assessment Form and compare them to our Sizing Chart. (This will narrow the choices considerably)
- **Step 4:** Choose a drive. (If it doesn't mention a choice, then ignore this step.)

Amtrykes come with two drive possibilities: **fixed** drive or **geared** drive. Tryke models have been carefully designed so the drive matches the therapeutic goals of the equipment; therefore all drives are not available on all trykes.

A **fixed** drive, commonly known as a 'fixie,' works on a mechanical level to help individuals make a full pedal rotation. The foot crank is constantly in motion for full therapeutic effect. Coasting is not possible with a positive drive; when limb motion stops, the bike does as well.

Riders of **geared** drive trykes must be able to make a complete pedal rotation on their own. This tryke is suitable for riders who need help with balance and a stable sitting position and who have the cognitive ability to steer successfully and apply the coaster brake or hand brake. The key feature of geared trykes is the ability to coast.

**Step 5:** Chose any adaptations and/or accessories needed by the rider. Each tryke model can only be customized in the ways noted in its own model section in the Tryke Selection Forms or with the generic accessories listed below. If a customization option is not listed, it is because of design or other practical constraints in offering it on a particular model.

GENERIC ACCESSORIES (not model specific)				
Fun Items	☐ License Plate	☐ Water Bottle w Cage	□ Mirror	
Leg & Foot Items	<ul><li>☐ Foot Cups (pair):</li><li>☐ Small</li><li>☐ Medium</li></ul>	<ul><li>☐ Knee Adductor Strap:</li><li>☐ Small ☐ Large</li><li>☐ Medium</li></ul>	□ <b>Pedal Block</b> (1 = ¾")qty	
Hand Items	☐ Variable Range of Motion Kit (only for Hand & Foot Cycles)	<ul> <li>□ Wrist Wraps</li> <li>(Includes right &amp; left)</li> <li>□ X-Small</li> <li>□ Large</li> <li>□ Small</li> </ul>	<ul> <li>□ Wrist Brace Mitt:</li> <li>□ Right □ Left</li> <li>□ XX-Small □ Medium</li> <li>□ X-Small</li> </ul>	
		□ Medium	□ Small	

Recipient's Name:		
OOT TRYKES		
	KE – (10" wheels, fixed drive) 50- Steering (can convert to push bar	FC-0100 Arm Length 12-20", Leg Length 15-21"
	d Seating System: Blue Buck	
	te Seating System: Snappy Se	
•	essories:   Notched Seat Botton	•
	☐ Notched Wide Botto	om Cushion*   XL Seat Back**
l •	te Seating System: OLD Blue	
		with an H-Harness or Separator Cube.)
1410 Accessories:	☐ Separator Cube	☐ H-Harness - 11.5"
		☐ Heavy-Duty Push Bar-for use with notched seats
		d drive) – <b>50-FC-1412</b> Arm Length 16-24", Leg Length 23-28"  r), Medium Pommel Saddle Seat and safety flag
		Pommel Saddle Seat/1600 Simple Seatback
•	σ,	mmel Saddle Seat
		Series Seat Back System (push grip, backpad, med. pommel & 2 laterals)
		ommel Saddle Seat   Saddle Seat   Skinny Saddle Seat (8.5x6")
	ns:  ProSeries Full Padded Ba	·
		☐ Recumbent 10 Degree Seat Post
□ Option #3 – Alterna	te Seating System: Gray Bucl	
•	<u> </u>	eat System (too small for many 1412 riders; check seat measurements.)
· · · · · · ·	s:   Notched Seat Bottom Cus	
	☐ Notched Wide Bottom Cu	
1412 Accessories:	☐ Heavy-Duty Push Bar	·
	Solid Rear Tires	☐ Front Hand Brake Kit (cannot be used with Rear Steering)
	□½" Expanding Pedals	☐ Hi-Rise Handlebars: ☐ 5" (BMX) ☐ 8" ☐ ½" Exercise Pedals
		□ Knee Separator: □ 2" □ 5" □ 9" Extender Tube
*cannot be used in conjunction v	with rear steering. **cannot be used in	conjunction with an h-harness, head rest or laterals.
_		ns Allow Coasting) Can be used with 1416, 1420, 1420XL ake a complete pedal rotation on their own.)
Comes Standard with I		416 & 1420 – L), 1600 Simple Seat Back, Hi-Rise Handlebars, Exercise
Choose Tryl	ke: □ 1416 □ 142	0 □ 1420XL
☐ <b>Option #1:</b> (switch to €	existing freewheel hub and add Dis	sk Brake Kit - <i>necessary</i> for safety) Adds the ability to coast 1 only)
□ Option #2: (3-Speed K		oility to coast and switch gears for hilly terrain — Replaces the 1600 Series
		Saddle Seat/1600 Simple Seat Back
Seat Bottom Alternate		Seat with bracket  Regular Saddle (11x9")
Seat Bottom Aitemati	es. ☐ Bench Seat ☐ Tractor s	
Adaptive Accessorie	es: □½" Expanding Pedals □	Telescoping Loop Handlebars □ 1400 Seat Back Set (w/ laterals)

Recipient's Name:			
OOT TRYKES			
	FOOT TRYKE (16" wheels, fixed of the common supplies that the common supplies the common supplies that the common supplies the common supplies that the common supplies the common supplies that the common supplies the common supplies that the common supplies the	or freewheel drive) – <b>50-FC-1416</b> Arm <b>flag</b>	Length 16-24", Leg Length 26-32"
		ies Seat Back System (push grip, b	packpad, med. pommel & 2 laterals)
•	<u> </u>	with bracket   Large Pommel Sa	
	s: □ ProSeries Full Padded Back	_	☐ ProSeries Lumbar Pad
		□ Recumbent 10 Degree Seat Po	
Option #2 – Alternat	e Seating System: Medium Pon	nmel Saddle Seat/1600 Simple :	Seat Back
-		with bracket □ Large Pommel S	
□ Option #3 – Alternat	e Seating System: Gray Bucket	Seat	
1416 Accessories:	☐ Heavy-Duty Push Bar	☐ Pedal Toe Pulley	☐ H-Harness - 11.5"
	☐ Rear Steering Kit	☐ Calf & Leg Supports	□½" Exercise Pedals
	-	☐ Hi-Rise Handlebars: ☐ 8" ☐ 12"	
		☐ Knee Separator: ☐ 2" ☐ 5"	□9" extender tube
		-	
	FOOT TRYKF (20" wheels fixed (	or freewheel drive) – <b>50-FC-1420</b> Arm	Length 20-30" leg length 29-35"
	Pommel Saddle Seat and safety flag		Length 20-30 , Leg Length 23 33
		es Seat Back System (push grip, b	acknad, large pommel & 2 laterals)
Seat Bottom Alternates:		Seat w/ bracket	
	: ☐ ProSeries Head Rest	☐ ProSeries Full Padded Back	□ ProSeries Lumbar Pad
	. 🗆 Froseries freda frest	□ Recumbent 10 Degree Seat Po	
 □ Ontion #2 – Alternat	e Seating System: Large Pomm	el Saddle Seat/1600 Simple Sea	
Seat Bottom Alternates		eat w/ bracket	
	e Seating System: Gray Bucket		ici Judaie Jeac - Jacaie Jeac
1420 Accessories:	☐ Heavy-Duty Push Bar	☐ Pedal Toe Pulley	☐ H-Harness - 11.5"
1420 ACCC33011C3.	☐ Rear Steering Kit	☐ Calf & Leg Supports	□½" Exercise Pedals
	□ Kedi Steering Kit	☐ 12" Hi-Rise Handlebars	☐ Solid Tires
		☐ Knee Separator: ☐ 2" ☐ 5"	□ 9" extender tube
- 1420VI DroCorio	TOOT TOVVE (20)		
		red/freewheel drive) – <b>50-FC-1420-XL</b>	Arm Lgth 22-34", Leg Lgth 30-45"
	e Pommel Saddle Seat and safety flag		
1		ies Seat Back System (push grip, b	
		Seat w/ bracket ☐ Medium Pom	
Trunk Support Op	otions:   ProSeries Head Rest	□ ProSeries Full Padded Back	☐ ProSeries Lumbar Pad
		□ Recumbent 10 Degree Seat Po	
•	<i>c</i> ,	iel Saddle Seat/1600 Simple Sea	
		r Seat w/ bracket	nmel Saddle Seat 🗆 Saddle Seat
· -	te Seating System: Large Whee		
Wheelchair Seat Acces	ssories: 🗆 Wheelchair Seat Bar En	nds   Swing Away Arms	
1420 XL Accessories:	☐ Heavy-Duty Push Bar	☐ Toe Pedal Pulley	☐ H-Harness - 11.5"
	☐ Rear Steering Kit	☐ Calf & Leg Supports	□½" Exercise Pedals
		□ Hi-Rise Handlebars □ 12" □23"	
		☐ Knee Separator: ☐ 2" ☐ 5"	$\square$ 9" extender tube

Recipient's Name:				
OOT TRYKES				
□JT-2000 FOOT TRYKE (R	Recumbent 14-Speed) – !	50-FC-2000 (advanced rider	s only) Arm Length 20-28", Leg I	ength 30-41"
JT-2000 Accessories:	☐ Exercise Pedals	☐ XL Exercise Pedals	☐ Expanding Pedals ☐ Dig	ital Speedometer
	☐ Dual Hand Brake	☐ Toe Clips ☐ Ba	sket □ Rearview	Mirror
☐ JT-2300-USS FOOT TR\	<b>/KE</b> (Recumbent 14-Spe	eed with <b>Under Seat Steeri</b> r	ng) – <b>50-FC-2300-USS</b> (advanced Arm Length 20-28", Leg L	
JT-2300-USS Accessories:	☐ Exercise Pedals	☐ XL Exercise Pedals	☐ Expanding Pedals ☐ Dig	ital Speedometer
	☐ Dual Hand Brake	☐ Toe Clips ☐ Ba	sket □ Rearview	Mirror
□TP-3000 TADPOLE FOC	TRYKE (Recumber	nt 21-Speed) – <b>50-FC-3000</b> (a	advanced riders only) Arm Leng	th 17-29", Leg Length 36-45"
Tadpole Accessories:	☐ Exercise Pedals	☐ XL Exercise Pedals	☐ Expanding Pedals	
•	☐ Dual Hand Brake	☐ Toe Clips	. □ Rearview	Mirror
		·		
Therapist Assembly Notes or	Comments (if any):			

Therapist Assembly Notes or Comments (if any):	
merapist Assembly Notes of Comments (II any).	

	TTRYKE (10" wheels & 2.5" crank arr	,	", leg length 15-21"
	Seating System: Blue Bucket Seat		
□ Option #2 – Upgraded	Seating System: Snappy Seat Syst	em	
Snappy Seat Accesso	ries:   Notched Seat Bottom Cushio	n* □ Laterals	☐ Head Rest
	☐ Notched Wide Bottom Cushi	on* □XL Seat Back**	
AM-10 Accessories:	☐ AM Toe Pulley	☐ H-Harness - 11.5"	
	☐ Heavy-Duty Push Bar (notched s	seats)   Vertical Hand Grips	☐ Separator Cube
	-FOOT TRYKE (12" wheels & 3" cra		
	Idle Seat, Rear Steering (converts to pus		flag.
•	Seating System: Saddle Seat & 160	·	
· · · · · · · · · · · · · · · · · · ·	Seating System: Snappy Seat Syst		□ Head Dest
Shappy Seat Accesso	ries: ☐ Notched Seat Bottom Cushio ☐ Notched Wide Bottom Cushio		☐ Head Rest
□Ontion #2 _ Ungraded Se	rating System: Blue Bucket Seat	OII - AL Seat Back	
☐ Option #5 = Opgraded Se		☐ H-Harness - 11.5"	
AIVI-125 ACCESSOTIES:	☐ AM Pedal Toe Pulley		□ Congrator Cuba
	☐ Heavy-Duty Push Bar (notched so	eats) □ Vertical Hand Grips □ 9/16" Exercise pedals	<ul><li>☐ Separator Cube</li><li>☐ Solid Rear Tires</li></ul>
	rear steering. **cannot be used in conjunction	n with an h-harness, head rest or laterals.	
cannot be used in conjunction with			
cannot be used in conjunction with	tean steering.	·	
	T TRYKE (12" wheels & 4" crank arms	s) <b>50-HFC-0210</b> Arm length 14-23",	leg length 21-29"
□ AM-12 HAND-FOO' New: Now standard with Rea	T TRYKE (12" wheels & 4" crank arms ar Steering (converts to push bar by inse	s) <b>50-HFC-0210</b> Arm length 14-23", erting pin) and safety flag.	leg length 21-29"
□ AM-12 HAND-FOO' New: Now standard with Rea	T TRYKE (12" wheels & 4" crank arms ar Steering (converts to push bar by insections Seating System: Saddle Seat/1600	s) <b>50-HFC-0210</b> Arm length 14-23", erting pin) and safety flag. Simple Seat Back	leg length 21-29"  Medium (11.5x10") □ Large(14x13")
□ <b>AM-12 HAND-FOO</b> New: Now standard with Rea  □ Option #1 — Standard S  Seat Bottom Alternates:	T TRYKE (12" wheels & 4" crank arms ar Steering (converts to push bar by insections Seating System: Saddle Seat/1600	s) <b>50-HFC-0210</b> Arm length 14-23", erting pin) and safety flag. Simple Seat Back □ Pommel Saddle Seat □	Medium (11.5x10") □ Large(14x13")
□ <b>AM-12 HAND-FOO</b> New: Now standard with Rea  □ Option #1 — Standard S  Seat Bottom Alternates:	T TRYKE (12" wheels & 4" crank arms ar Steering (converts to push bar by insections System: Saddle Seat/1600  Bench Seat Seating System: ProSeries Seat Ba	s) 50-HFC-0210 Arm length 14-23", erting pin) and safety flag.  Simple Seat Back  Pommel Saddle Seat  ack System (push grip, backpad, s	Medium (11.5x10") □ Large(14x13")
□ AM-12 HAND-FOO New: Now standard with Rea □ Option #1 — Standard S Seat Bottom Alternates: □ Option #2 — Upgraded Seat Bottom Alternates:	T TRYKE (12" wheels & 4" crank arms ar Steering (converts to push bar by insections System: Saddle Seat/1600  Bench Seat Seating System: ProSeries Seat Ba	s) 50-HFC-0210 Arm length 14-23", erting pin) and safety flag.  Simple Seat Back  Pommel Saddle Seat  ack System (push grip, backpad, s	Medium (11.5x10") □ Large(14x13") saddle seat & 2 laterals) Medium (11.5x10") □ Large(14x13")
□ AM-12 HAND-FOOM New: Now standard with Real □ Option #1 — Standard Seat Bottom Alternates: □ Option #2 — Upgraded Seat Bottom Alternates: Trunk Support Upgrades:	T TRYKE (12" wheels & 4" crank arms ar Steering (converts to push bar by insection of Seating System: Saddle Seat/1600  Bench Seat  Bench Seat  Bench Seat	s) 50-HFC-0210 Arm length 14-23", erting pin) and safety flag.  Simple Seat Back  Pommel Saddle Seat   ck System (push grip, backpad, seat  Pommel Saddle Seat  ProSeries Head Rest	Medium (11.5x10") □ Large(14x13") saddle seat & 2 laterals) Medium (11.5x10") □ Large(14x13")
□ AM-12 HAND-FOO' New: Now standard with Rea □ Option #1 – Standard Seat Bottom Alternates: □ Option #2 – Upgraded Seat Bottom Alternates: Trunk Support Upgrades: □ Option #3 – Upgraded	T TRYKE (12" wheels & 4" crank arms ar Steering (converts to push bar by insecting System: Saddle Seat/1600 ☐ Bench Seat  Seating System: ProSeries Seat Baccccccccccccccccccccccccccccccccccc	s) 50-HFC-0210 Arm length 14-23", erting pin) and safety flag.  Simple Seat Back  Pommel Saddle Seat   ck System (push grip, backpad, some saddle Seat   Pommel Saddle Seat   ProSeries Head Rest	Medium (11.5x10") □ Large(14x13") saddle seat & 2 laterals) Medium (11.5x10") □ Large(14x13") ProSeries Lumbar Pad
□ AM-12 HAND-FOO' New: Now standard with Rea □ Option #1 – Standard Seat Bottom Alternates: □ Option #2 – Upgraded Seat Bottom Alternates: Trunk Support Upgrades: □ Option #3 – Upgraded	TTRYKE (12" wheels & 4" crank arms ar Steering (converts to push bar by insections are Seating System: Saddle Seat/1600  Bench Seat Seating System: ProSeries Seat Back Bench Seat ProSeries Full Padded Back Seating System: Gray Bucket Seat	s) 50-HFC-0210 Arm length 14-23", erting pin) and safety flag.  Simple Seat Back  Pommel Saddle Seat   ck System (push grip, backpad, some saddle Seat   Pommel Saddle Seat   ProSeries Head Rest	Medium (11.5x10") □ Large(14x13") saddle seat & 2 laterals) Medium (11.5x10") □ Large(14x13") ProSeries Lumbar Pad
□ AM-12 HAND-FOOM New: Now standard with Read Standard S	T TRYKE (12" wheels & 4" crank arms ar Steering (converts to push bar by insecting System: Saddle Seat/1600 ☐ Bench Seat  Seating System: ProSeries Seat Bat ☐ Bench Seat ☐ ProSeries Full Padded Back Seating System: Gray Bucket Seat Seating System: Snappy Seat System:	s) 50-HFC-0210 Arm length 14-23", erting pin) and safety flag.  Simple Seat Back  Pommel Saddle Seat   ck System (push grip, backpad, proseries Head Rest   ProSeries Head Rest   cem (too small for many AM-12 rices)	Medium (11.5x10") □ Large(14x13") saddle seat & 2 laterals) Medium (11.5x10") □ Large(14x13") ProSeries Lumbar Pad  ders; check seat measurements.)
□ AM-12 HAND-FOOM New: Now standard with Read Standard S	T TRYKE (12" wheels & 4" crank arms or Steering (converts to push bar by insecting System: Saddle Seat/1600 ☐ Bench Seat  Seating System: ProSeries Seat Bat ☐ Bench Seat ☐ ProSeries Full Padded Back Seating System: Gray Bucket Seat Seating System: Snappy Seat System: Notched Seat Bottom Cushion*	s) 50-HFC-0210 Arm length 14-23", erting pin) and safety flag.  Simple Seat Back  Pommel Saddle Seat   Rock System (push grip, backpad, and proseries Head Rest   ProSeries Head Rest   Em (too small for many AM-12 rick  Laterals	Medium (11.5x10")   Saddle seat & 2 laterals)  Medium (11.5x10")   CroSeries Lumbar Pad  Series; check seat measurements.)  Head Rest
□ AM-12 HAND-FOO' New: Now standard with Rea □ Option #1 – Standard Seat Bottom Alternates: □ Option #2 – Upgraded Seat Bottom Alternates: Trunk Support Upgrades: □ Option #3 – Upgraded □ Option #4 – Upgraded Snappy Seat Accessories:	TTRYKE (12" wheels & 4" crank arms ar Steering (converts to push bar by insecting System: Saddle Seat/1600 Bench Seat  Seating System: ProSeries Seat Barroseries Full Padded Back  Seating System: Gray Bucket Seat  Seating System: Snappy Seat System: Notched Seat Bottom Cushion*  Notched Wide Bottom Cushion*	s) 50-HFC-0210 Arm length 14-23", erting pin) and safety flag.  Simple Seat Back  Pommel Saddle Seat  Pommel Saddle Seat  Proseries Head Rest  em (too small for many AM-12 rides  Laterals  XL Seat Back**	Medium (11.5x10")   Saddle seat & 2 laterals)  Medium (11.5x10")   CroSeries Lumbar Pad  Series; check seat measurements.)  Head Rest

Recipient's Name:

Recipient's Name:			
	OT TRYKE (16" wheels & 5" crar Rear Steering (converts to push bar		
□ Option #1 – Standard	d Seating System: Saddle Seat,	/1600 Simple Seat Back	
Seat Bottom Alternate	s:   Bench Seat  Tractor	Seat Dommel Sac	ddle Seat   Medium (11.5x10")   Large(14x13")
□Option #2 – Upgrade	d Seating System: 1400 ProSe	ries Seat Back System (p	ush grip, backpad, saddle seat & 2 laterals)
Seat Bottom Upgrade	s: □ Bench Seat □ Tractor	Seat □ Pommel Sac	ddle Seat □ Medium (11.5x10") □ Large(14x13")
Trunk Support Upgrade	es: 🗆 ProSeries Full Padded Back	☐ ProSeries H	ead Rest □ ProSeries Lumbar Pad
□ Option #3 – Upgrade	ed Seating System: Gray Bucke	et Seat	
AM-16 Accessories:	☐ AM Pedal Toe Pulley	☐ H-Harness - 11.5"	
	☐ Knee Separator: ☐ 2" ☐ 5"	☐ 9" Extender Tube	□ XL Exercise pedals
	☐ Solid Rear Tires	□ 9/16" Exercise pedals	☐ Vertical Hand Grips
	OT TOVVE (Decomply and Single So		
	OT TRYKE (Recumbent Single Sp g used ONLY for research.	oeed) – <b>50-HFC-0610</b> Arm Ien	gtn 18-30°, leg lengtn 32-46°
AM-20 Accessories:	☐ Exercise Pedals	☐ XL Exercise Pedals	☐ Expanding Pedals
	☐ Wheelchair Seat Bar Ends	☐ Swing Away Arms	☐ Calf & Leg Supports (Expanding pedals)

IAND TRYKES			
,	.2" wheels, 2.5" crank arms & permanent ering (converts to push bar by inserting	• •	6 Arm length 13-17"
□ Option #1 – Standard Seatir		, ,	
☐ Option #2 – Upgraded Seati	ng System: Snappy Seat System		
Snappy Seat Accessories	: □ Notched Seat Bottom Cushion*	☐ Laterals	☐ Head Rest
	☐ Notched Wide Bottom Cushion*	☐ XL Seat Back**	
AM-10 Accessories:	☐ Vertical Hand Grips	☐ H-Harness - 11.5"	
	☐ Heavy Duty Push Bar (notched seats)	☐ Separator Cube	
	KE (12" wheels, 3" crank arms & perma		_
□ Option #1 – Standard Seatir	ng System: Saddle Seat & 1600 Sim	ple Seat Back	
□ Option #2 – Upgraded Seati	ng System: Snappy Seat System		
Snappy Seat Accessories	: □ Notched Seat Bottom Cushion*	☐ Laterals	☐ Head Rest
	□ Notched Wide Bottom Cushion*	☐ XL Seat Back**	
□ Option #3 – Alternate Seati			
AM-12S Accessories:	□ Vertical Hand Grips	☐ H-Harness - 11.5"	
	☐ Heavy Duty Push Bar (notched seats	5)	☐ Separator Cube
	12" wheels, 4" crank arms & permanent fering (converts to push bar by inserting p		rm Length 14-23"
	ng System: Saddle Seat/1600 Simp		
Seat Bottom Alternates:			Medium (11.5x10") □ Large(14x13")
□Option #2 – Alternate Seatir	ng System: 1400 ProSeries Seat Ba		
Seat Bottom Alternate			Medium (11.5x10") □ Large(14x13")
Trunk Support Option	s:   ProSeries Full Padded Back	☐ ProSeries Head Rest ☐ I	ProSeries Lumbar Pad
□ Option #3 – Alternate Seati	ng System: Gray Bucket Seat		
□ Option #4 – Alternate Seati	ng System: Snappy Seat System		
Snappy Seat Accessories	: □ Notched Seat Bottom Cushion*	☐ Laterals	☐ Head Rest
	☐ Notched Wide Bottom Cushion*	☐ XL Seat Back** ☐	Separator Cube
AM-12 Accessories:	☐ Vertical Hand Grips	☐ H-Harness - 11.5"	
	☐ Knee Separator: ☐ 2" ☐ 5"	□ 9" Extender Tube	
cannot be used in conjunction with rear stee	ring. **cannot be used in conjunction with a	n h-harness, head rest or laterals.	
,	" wheels, 5" crank arms & permanent foo ring (converts to push bar by inserting p	• •	m length 18-27"
□ Option #1 – Standard Seatir	ng System: Saddle Seat/1600 Simp	e Seat Back	
Seat Bottom Alternates:	Bench Seat	□ Pommel Saddle Seat □	Medium (11.5x10") □ Large(14x13")
	ng System: 1400 ProSeries Seat Ba		-
	Bench Seat ☐ Padded Tractor Seat		_
		☐ ProSeries Head Rest ☐ ☐	ProSeries Lumbar Pad
□ Option #3 – Upgraded Seati			
AM-16 Accessories:	•	Harness - 11.5"	
	☐ Knee Separator: ☐ 2" ☐ 5" ☐ 9	" Extender Tube	

Recipient's Name:

Recipient's Name:			
HAND TRYKES			
	r" HAND TRYKE (20" wheels 8		
	Seating: Small Wheelchair Sea	at (3.5" narrower in wi	dth and depth than the Large)
Seat Alternates: 1020 Accessories:	☐ Large Wheelchair Seat ☐ Wheelchair Seat Bar Ends	□ Swing Away Arms	□ Popraiou Mirror
1020 Accessories.	WileelCliali Seat Bai Elius	□ Swilig-Away Alliis	Li hearview (viii 10)
□ 1024 HAND TRYKE	. – (24" wheels & 3-Speed drive trai	in) <b>50-HC-1024</b> Arm lengt	th 22-26"
☐ Option #1 – Standard	Seating: Large Wheelchair Sea	at (3.5" broader in wid	th and depth than the Small)
Seat Alternates:	☐ Small Wheelchair Seat		
1024 Accessories:	☐ Wheelchair Seat Bar Ends	☐ Swing-Away Arms	☐ Rearview Mirror
Therapist Assembly Not	es or Comments (if any):		

## **Amtryke Sizing Chart**

TRYKE TYPE (How will the tryke be propelled?)	RIDER LEG LENGTH (Inches from center of hip to bottom of shoe.)	RIDER ARM LENGTH (Inches from middle of shoulder to center of digit crease.)	MODEL	RIDER WEIGHT (Pounds)	RIDER MAX HEIGHT (Inches)	TRYKE WEIGHT (Pounds)	WHEEL SIZE (Inches)	TTRYKE HEIGHT (inches)	TRYKE LEGNTH (inches)	TRYKE WIDTH (Inches)
i i	15-21	13-17	AM-10	55	40	45	10	24	38	21
Foc	19-24	15-20	AM-12S	150	40	45	12	27	38	24
త	21-29	14-23	AM-12	150	47	45	12	36	60	32
Hand & Foot	24-36	18-27	AM-16	175	66	55	16	36	68	33
Ha	32-46	18-30	AM-20	250	74	80	20	45	72	32
	15-21	12-20	1410	55	40	45	10	24	38	21
	23-28	16-24	1412	125	42	72	12	13	43	27
	26-32	16-24	1416	175	60	74	16	49	58	30
Foot	29-35	20-30	1420	250	68	74	20	50	64	30
ш	30-45	22-34	1420XL	275	76	89	20	43	72	29
	30-41	20-28	JT-2000/ JT2300USS	250	74	80	20	48	72	32
	36-45	17-29	TP-3000	300	75	47	20	33	63-70	33
	up to 37	19-30	1020	250	67	74	20	41	69	30
Hand	up to 41	22-26	1024	250	72	85	24	45	75	32
Ĭ,	up to 41	22-26	HP-1000	250	74	83	Front 16 Rear 20	45	72	32
	All trykes in the Hand & Foot section can be converted to Hand trykes – except the AM-20.									

A Center of Shoulder


B Center of Elbow

C Center of Digit Crease

D Center of Hip (greater trochanter)

E Center of Knee

F Bottom of Foot



### **RIDER'S MEASUREMENTS**

Arm Measurements (inches) Total Length

Left A to B + B to C = \_\_\_\_\_

Right A to B + B to C = \_\_\_\_\_

Trunk A to D = \_\_\_\_\_

Leg Measurements (inches) Total Length

Left D to E + E to F = \_\_\_\_\_

Right D to E + E to F = \_\_\_\_\_

HELMET SIZING	j
---------------	---

Sizes Head Circumference Inches

Toddler (XS) 17.7" – 19.3"

Child (S) 20.5" – 21.7"

Youth (L) 20.9" – 22.4"

Adult (XL) 22.4" – 23.6"